



THE SAFE WAY OUT

Solutions for the second escape route **by Becker.**



BECKER
for you. forever.

For protection...

With Becker's escape route solution featuring the **EscapeSet**, the curtain can be easily and quickly cranked upward in any situation using a **hand crank** installed indoors. After using the hand crank, the drive automatically returns to its original positions without requiring readjustment. The hand crank only operates during the initial setup. Afterward, it remains discreetly and securely stored in a holder next to the window. The EscapeSet is available for both add-on and new construction elements.



...you can rely on.

With Becker's escape route solution featuring the **HCS520**, the roller shutter drive is powered by a **battery** in the event of a 230V power outage, ensuring the curtain **automatically** moves upward. Additional components, such as individual control buttons, group control buttons, smoke detectors, or other potential-free control systems, can be connected to the central module for enhanced functionality.

Escape route solution with the EscapeSet

Highlights at a glance:

- Enables quick operation, even during a power outage
- No loss of end positions after using the hand crank
- Drive-specific highlights of the E22 drive series with electronic end position setting
- Optimal gear ratio enables quick operation in emergencies
- Stationary hand crank during normal operation
- Includes accessories for installation in the existing winding shaft



Emergency manual operation via hand crank



Due to patent-related agreements, the delivery of the E22 drive type for roller shutter applications in combination with emergency door solutions is not permitted in houses, modular buildings, and commercial properties constructed with solid wood and/or timber frame designs.

Escape route solution with the HCS520

Highlights at a glance:

- Enables quick operation, even during a power outage
- Automatic opening of the curtain in case of a power outage
- Includes accessories for integration into the existing roller shaft
- Additional safety switch included in the set
- Optional connection to a central control system or a smoke detector is possible
- Easy maintenance thanks to the control/battery unit mounted indoors



Emergency operation via battery or emergency switch

BECKER-Antriebe GmbH

Drives and control units for
roller shutters, sun protection
and Extended Applications

Friedrich-Ebert-Straße 2–4
D-35764 Sinn

Tel.: 02772/507-0
Fax: 02772/507-110

www.becker-antriebe.com
info@becker-antriebe.com



BECKER
for you. forever.